FOR EDUCATION

BK BIRLA CENTRE FOR EDUCATIO

SARALA BIRLA GROUP OF SCHOOLS SENIOR SECONDARY CO-ED DAY CUM BOYS' RESIDENTIAL SC

MID-TERM EXAMINATION 2024-25

MARKING KEY APPLIED MATHEMATICS (241)



Class: XI Date:23/09/24

Max. Marks: 80 Exam RNo.:

Duration: 3 Hrs

Name:

General Instructions:

- 1. This Question Paper has 5 Sections A, B, C, D and E.
- 2. Section A has 20 MCQs carrying 1 mark each

(a) $A \cap B = B \cap A$ (b) $A \cap A = A$

12.

If $f(x) = x^3 - (1/x^3)$, then f(x) + f(1/x) is equal to

- 3. Section B has 5 questions carrying 02 marks each.
- 4. Section C has 6 questions carrying 03 marks each.
- 5. Section D has 4 questions carrying 05 marks each.
- 6. Section E has 3 case-based integrated units of assessment (04 marks each) with sub-parts.
- 7. All Questions are compulsory. However, an internal choice in 2 Qs of 5 marks, 2 Qs of 3 marks and 2 Questions of 2 marks have been provided. An internal choice has been provided in the 2marks questions of Section E
- 8. Draw neat figures wherever required. Take $\pi = 22/7$ wherever required if not stated.

SECTION A 1. The base of the binary number system is 1m (d) 4(c) 3 (b) 2 2. The one's complement of $(101)_2$ is 1m (b)100 (c) 001(d) none of these (a)10 3. The sum of $(10111)_2$ and $(1111)_2$ is 1m (a) 111111 (b) 101111 (c) 100110 (d) none of these The value of $8^{-25} - 8^{-26}$ is 4. 1m (c) 8×8^{-26} (a) 7×8^{-25} (b) 7×8^{-25} (d) none of these 5. If $a = b^x$, $b = c^y$, and $c = a^z$ then the value of x is 1m (c) 1 (d) none of these 6. If $\sqrt{2^n} = 64$, the value of n is 1m (a) 2 (b) 4 (c) 8 (d) 12 A batsman in his 17th innings makes a score of 85 and thereby increases his average 7. 1m by 3. What is his average after 17 innings? (b) 30 (a) 27 (c) 37 If three years ago, the average age of A, B and C was 27 years and that of B and C 8. 1m five years ago was 20 years, then the present age of A is (b) 35 years (a) 30 years (c) 38 years (d) 40 years How many rotations will the hour hand of a clock complete in 72 hours? 9. 1m (b) 6 (c) 9 (d) none of these 10. If P be the set of all positive Prime integers and E be the set of all positive even 1m integers then $P \cap E$ is (a) {1,2} (b) {2} (c) 2 (d) {2,1} 11. Which of the following is not true? 1m

(d) $A \cap U = U$

1m

(c) $A \cap \phi = \phi$

| | (a) $2x^3$ | (b) $1/2x^3$ | (c) 0 | (d) none of these | |
|-----|---|----------------------------|-----------------------|-------------------|------|
| 13. | If $f(x) = ax + b$, where a and b are integers, $f(-1) = -5$ and $f(3) = 3$, then a and b are | | | | 1m |
| | equal to | | | | |
| | (a) $a = -3$, $b = -1$ | (b) $a = 2$, $b = -3$ | (c) $a = 0$, $b = 2$ | (d) none of these | |
| 14. | The 10 th common te | rm between the series | s 3+7+11+and 1+6 | 5+11+ is | 1m |
| | (a) 191 (b) 193 (c) 220 (d) none of these | | | | |
| 15. | If 9 times the 9 th term of an A.P is equal to 13 times the 13 th term, then the 22 nd term of the A.P is | | | | 1m |
| | (a) 0 | (b) 22 | (c) 220 | (d) none of these | |
| 16. | The first and the last term of an A.P. are 1 and 11. If the sum of its terms is 36, then | | | | 1m |
| | the number of terms | | () 0 | (1) 0.1 | |
| 17 | (a) 6 | (b) 7 | (c) 8 | (d) none of these | 1 |
| 17. | The number of 2-digit even numbers that can be formed with the digit 1,2,3,4,5, if no digits being repeated is | | | | 1m |
| | | (b) 10 | (c) 20 | (d) none of these | |
| 18. | (a) 8 (b) 10 (c) 20 (d) none of these The number of 2-digit even numbers that can be formed with the digit 1,2,3,4,5 if | | | | 1m |
| 10. | the digits can be repeated is | | | | |
| | (a) 10 | (b) 30 | (c) 20 | (d) none of these | |
| 19. | ` / | \ / | () | * * | 1m |
| 17. | (A) The collection of all-natural numbers less than 100 is a set.(R) A set is a well-defined collection of distinct objects. | | | | 1111 |
| | (a) Both A and R are true and R is the correct explanation of A. | | | | |
| | (b) Both A and R are true but R is not the correct explanation of A. | | | | |
| | (c) A is true but R is false. | | | | |
| | (d) A is false but R is true | | | | |
| 20. | (A) $f(x) = 5x^4 - 9x^2 + 3$ is an even function. | | | | |
| | (R) A function $f(x)$ is said to be an even function if $f(-x) = -f(x)$. | | | | |
| | (a) Both A and R are true and R is the correct explanation of A. | | | | |
| | (b) Both A and R are true but R is not the correct explanation of A. | | | | |
| | (c) A is true but R is false. | | | | |
| | (d) A is false but R i | | TION D | | |
| 21 | C 14 4 (11011) C | | TION B | | 2 |
| 21. | Subtract (11011) ₂ from | om (110101) ₂ . | | | 2m |
| A:- | Working0010 | | | | 1m |
| | OR | | | | 1m |
| | Add the following b | | JK | | 2m |
| | 101011 + 110101 | mary numbers. | | | 2111 |
| A:- | Working | | | | 1m |
| 11. | 1101110 | | | | 1m |
| 22. | | $d \log 3 = 0.4771$, find | the values of log 36 | 0 | 2m |
| A:- | Factorisation | | | | 1m |
| | replacing values | | | | |
| | 2.5562 | | | | 1m |
| | | | Or | | |
| | Use of the property of logarithms, solve for the value of x for $log_3 x = log_3 4 + log_3 7$ | | | | 2m |
| | Addition rule | | | | 1m |
| | x = 28 | | | | 1m |
| 23. | Rekha goes to school at a speed of 3 km/hr and returns to her home at 2km/hr. If she takes 5 hours, what is the distance between her home and school? | | | | 2m |
| A:- | Average speed = $2x$ | 2x3/5 = 12/5 | | | 1m |

```
D = s x t = 12/5 x 5 = 12km
      From home to school = 6km
                                                                                                 1m
24.
      In how many ways can 5 children be arranged in a line such that
                                                                                                 2m
                 Two particular children are always together and
                 Two particular children are never together?
          (ii)
A:-
                 48
          (i)
                                                                                                 1m
          (ii)
                 72
                                                                                                 1m
     Write the following sets in roster form:
                                                                                                 2m
      (i) A = \{x : x \text{ is an integer and } -3 \le x < 7\}
      (ii) B = \{x : x \text{ is a natural number less than } 6\}
A:- A = \{-3, -2, -1, 0, 1, 2, 3, 4, 5, 6\}
                                                                                                 1m
      B = \{1,2,3,4,5,6\}
                                                                                                 1m
                                           SECTION C
     Find the seventh root of 0.00001427.
26.
                                                                                                 3m
A:- Log x = 1/7 \log 0.00001427
      .....1.3078
                                                                                                 2m
      ....antilog = 0.2032...
                                                                                                 1m
                                                OR
     Evaluate (0.038)^{1/4}, given \log 38 = 1.5798
                                                                                                 3m
A:- Log x = 1.6449...
                                                                                                 2m
      Antilog = 0.4415
                                                                                                 1m
27. If P(5,r) = 2 \times P(6,r-1), find r.
                                                                                                 3m
A:- \dots r^2 - 13r + 30 = 0 \dots
                                                                                                 2m
      ...r = 3 or r = 10....
                                                                                                 1m
                                                OR
      If C(n, r-1) = 36, C(n,r) = 84 and C(n, r+1) = 126, then find C(r,2).
                                                                                                 3m
A:- ....3n - 10 r +3 = 0...
                                                                                                 1m
      ....2n - 5r - 3 = 0...
                                                                                                 1m
      .....C (3,2) = 3.....
                                                                                                 1m
    By walking at 3/4 of his usual speed a man reaches his office 10 minutes late than
                                                                                                 3m
      his usual time. find the usual time taken by him to reach his office.
    \dotstime = 3t/4...
                                                                                                 1m
      ....difference = 10 min...
                                                                                                 1m
      \dots t = 30 \text{ min} \dots
                                                                                                 1m
     Let a,b,c be in A.P. If p is the Arithmetic mean between a and b and q is the
                                                                                                 3m
      Arithmetic mean between B and C then prove that b is the Arithmetic mean between
     p and q.
A:-
     ....p = (a+b)/2...
                                                                                                 1m
      ....q = (b+c)/2...
                                                                                                 1m
      .....p+q = 2b.....
                                                                                                 1m
30. Find the domain and range of the real function f(x) = x/1+x^2.
                                                                                                 3m
A:- Given real function is f(x) = x/1+x^2.
      1 + x^2 \neq 0
      x^2 \neq -1
      Domain: x \in R
                                                                                                 1m
      yx^2 - x + y = 0
      This is a quadratic equation with real roots.
      (-1)^2 - 4(y)(y) \ge 0
      1 - 4y^2 \ge 0
      \Rightarrow 4y^2 \le 1
      \Rightarrow y^2 \le 1/4
```

```
\Rightarrow -\frac{1}{2} \le y \le \frac{1}{2}
      \Rightarrow -1/2 \leq f(x) \leq \frac{1}{2}
                                                                                                 2m
31. Find the domain for which f(x) = 2x^2 - 1 and g(x) = 1 - 3x are equal.
                                                                                                 3m
A:- f(x) = g(x)
                                                                                                 1m
      x = -2,1/2..
                                                                                                 1m
      Domain = \{-2, 1/2\}
                                                                                                 1m
                                           SECTION D
     Find the product of 45 and 107 using binary numbers and check your answer.
32.
                                                                                                 5m
A:- 45 = 101101,107 = 1101011
                                                                                                 2m
      45 \times 107 = 1001011001111
                                                                                                 2m
      Check: 4815
                                                                                                 1m
                                                OR
      Divide 101010 by 110 and check your answer.
                                                                                                 5m
A:- Working
                                                                                                 3m
      Q = 111, R = 0
      Check
                                                                                                 2m
33. A alone can do a piece of work in 6 days and B alone can do it in 8 days. A and B
                                                                                                 5m
      undertook to do it for rupees 3200 with the help of C. They completed the work in
      three days. Find the share of each person.
A:- A = 1/6, B = 1/8 .....C = 1/24
                                                                                                 3m
      A = \Box 1600
      B = \Box 1200
      C = \Box 400
                                                                                                 2<sub>m</sub>
                                                OR
      At what time between 4 and 5 o'clock, will the hands of a clock be at the right
                                                                                                 5m
     Case 1: The minute hand is 15 minutes behind the hour hand.
      Actual gain = 60 \times 5/55
                                                                                                 2.5m
      Case 2: The minute hand is 15 minutes ahead of the hour hand.
      Actual gain = 60 \times 35/55
                                                                                                 2.5m
34.
      If A = \{3,4,6\}, B = \{1,3\} and C = \{1,2,6\}, then find
                                                                                                 5m
         (i)
                 AX(B\cap C)
                 AX(B-C)
         (ii)
                 (A-B) X (A-C)
         (iii)
A:- Values of A-B, A-C, B \cap C
                                                                                                 2m
      Values of
                 AX(B\cap C)
         (i)
                 AX(B-C)
                                                                                                 1m
         (ii)
                                                                                                 1m
                 (A-B) X (A-C)
         (iii)
                                                                                                 1m
      Draw the graph of the following function:
                                                                                                 5m
     f(x) = \begin{cases} 3 - x, & \text{if } x > 1 \\ 1, & \text{if } x = 1 \\ 2x, & \text{if } x < 1 \end{cases}
     Point table of all cases
A:-
                                                                                                 3m
      Graph
                                                                                                 2m
                                           SECTION E
     A and B together can do a piece of work in 24 days, B and C together can do the
36.
                                                                                                 4m
      same in 40 days, and C and A together can do it in 30 days.
                         CL XI APPLIED MATHS MIDTERM MS Page 4 | 5
```

1. Find the number of days in which A, B and C can finish the work together. 2. Find the number of days in which A alone can finish the work. 3. Find the number of days in which B alone can finish the work. A:- 1. Calculations (1m) A:-10 days(1m). 2m 2. 80 days. 1m 3. 60 days. 1m The figure shows are big Triangle in which multiple other Triangles may be 37. 4m observed in the pattern 1. How many triangles will be there in the 15th row? Write the difference between number of triangles in 7^{th} row and 10^{th} row. 2. In which row will the number of triangles be 47? 3. How many small triangles will be there in the figure in 10th row? 1. Formula and calculations A:-1m 29 or 6 1m 2. 24 1m 3. 100 1m 38 The Task is to form different words with the letters of the word "BHARAT". 4m 1. In how many of these B and H are never together? 2. How many of these begin with B and end with T? 3. How many total permutations are possible? 1. Formula and calculations (1m), A: -240 (1m) A:-2m 2. 12 1m 3. 360. 1m

******BEST OF LUCK*****